10/553482
JC09 Rec'd PCT/PTO 17 OCT 2005

SEQUENCE LISTING

<110> CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE - CNRS

<120> Method of calibration of reverse transcription using a synthetic messenger RNA (smRNA)

<130> D21194

<150> EP 03/290 958
<151> 2003-04-17

<160> 18

<170> PatentIn version 3.2

<210> 1
<211> 161
<212> RNA
<213> Artificial

<220>
<223> Synthetic poly A mRNA #1

<400> 1
gggcgaauug ggcccgacgu cgggacaaga agguggaaga cgucaugcuc ccggccgcca 60
uggcggccgc gggaauucga uuucuucgac ucacugcaga cuacugaugg aaugacguag 120
uacgaauacu cgacuggucu caacaugaaa aaaaaaaaaa a 161

<210> 2
<211> 161
<212> RNA
<213> Artificial

<220>
<223> Synthetic poly A mRNA #2

<400> 2
uaauacgacu cacuauaggg cgggacaaga agguggaaga cgucaugcuc ccggccgcca 60
uggcggccgc gggaauucga uuucuucgac ucacugcaga cuacugaugg aaugacguag 120
uacgaauacu cgacuggucu caacaugaaa aaaaaaaaaa a 161

<210> 3
<211> 161
<212> DNA
<213> Artificial

<220>
<223> Synthetic cDNA #1

<400> 3
gggcgaattg ggcccgacgt cgggacaaga aggtggaaga cgtcatgctc ccggccgcca 60
tggcggccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aatgacgtag 120
tacgaatact cgactggtct caacatgaaa aaaaaaaaaa a 161

<210> 4
<211> 161

<212> DNA
<213> Artificial

<220>
<223> Synthetic cDNA #2

<400> 4
taatacgact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccggccgcca 60
tggcggccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aatgacgtag 120
tacgaatact cgactggtct caacatgaaa aaaaaaaaaa a 161

<210> 5
<211> 19
<212> DNA
<213> Artificial

<220>
<223> Primer III forward

<400> 5
cgggacaaga aggtggaag 19

<210> 6
<211> 22
<212> DNA
<213> Artificial

<220>
<223> Primer III reverse

<400> 6
agtctgcagt gagtcgaaga aa 22

<210> 7
<211> 182
<212> DNA
<213> Artificial

<220>
<223> Sequence of the DNA probe "DNAΣ"

<400> 7
taatacgact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccggccgcca 60
tggcggccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aatgacgtag 120
tacgaatact cgactggtct caacatgaaa aaaaaaaaaa acgcattcaa cctgtctgac 180
ta 182

<210> 8
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Sequence of the T7 promoter

<400> 8
taatacgact cactataggg 20

<210> 9
<211> 27
<212> DNA
<213> Artificial

<220>
<223> 27 pb insert

<400> 9
cgggacaaga aggtggaaga cgtcatg 27

<210> 10
<211> 34
<212> DNA
<213> Artificial

<220>
<223> 34 bp from pGEM®-T Easy sequence

<400> 10
ctcccggccg ccatggcggc cgcgggaatt cgat 34

<210> 11
<211> 101
<212> DNA
<213> Artificial

<220>
<223> 101 bp insert

<400> 11
ttcttcgact cactgcagac tactgatgga atgacgtagt acgaatactc gactggtctc 60
aacatgaaaa aaaaaaaaaa cgcattcaac ctgtctgact a 101

<210> 12
<211> 39
<212> DNA
<213> Artificial

<220>
<223> Forward primer A containing the T7 promoter

<400> 12
taatacgact cactataggg cgggacaaga aggtggaag 39

<210> 13
<211> 21
<212> DNA
<213> Artificial

<220>
<223> Reverse primer A

<400> 13
tagtcagaca ggttgaatgc g 21

<210> 14
<211> 82
<212> DNA
<213> Artificial

<220>
<223> Amplified fragment from both synthetic cDNA #1 and cDNA #2 with primer pair III

<400> 14
cgggacaaga aggtggaaga cgtcatgctc ccggccgcca tggcggccgc gggaattcga 60
tttcttcgac tcactgcaga ct 82

<210> 15
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Pair I: primer forward

<400> 15
aattgggccc gacgtcgcat 20

<210> 16
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Pair I: primer reverse

<400> 16
catgttgaga ccagtcgagt 20

<210> 17
<211> 19
<212> DNA
<213> Artificial

<220>
<223> Pair II: primer forward

<400> 17
cgggacaaga aggtggaag 19

<210> 18
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Pair II: primer reverse

<400> 18

tcatgttgag accagtcgag 20



FIGURE 1



FIGURE 2



FIGURE 3



FIGURE 4



FIGURE 5



FIGURE 6



FIGURE 7



FIGURE 8



FIGURE 9



FIGURE 10



FIGURE 11



FIGURE 12

FIGURE 13A



FIGURE 13B





FIGURE 13C



FIGURE 13D



FIGURE 14



FIGURE 15



FIGURE 16



FIGURE 17